

Product Change Notification - JAON-30IVHP500

Date: 06 Jul 2017

Product Category: Capacitive Touch Sensors; 8-bit PIC Microcontrollers; 16-Bit - Microcontrollers and Digital Signal Controllers

Notification subject: CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Notification text: **PCN Status:**
Initial notification

Microchip Parts Affected:

Please open the attachments found in the attachments field below labeled as PCN_#_Affected_CPN.

NOTE: For your convenience Microchip includes identical files in two formats (.pdf and .xls).

Description of Change:

Qualification of MMT as an additional assembly site using palladium coated copper with gold flash (CuPdAu) bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Pre Change:

Assembled at MTAI using palladium coated copper (PdCu) bond wire.

Post Change:

Assembled at MTAI using palladium coated copper (PdCu) bond wire or assembled at MMT using palladium coated copper with gold flash (CuPdAu) bond wire.

Pre and Post Change Summary:

	Pre Change	Post Change	
Assembly Site	MTAI Assembly Site	MTAI Assembly Site	MMT Assembly Site
Wire material	PdCu Wire	PdCu Wire	CuPdAu Wire
Die attach material	3280	3280	3280
Molding compound material	G600	G600	G600
Lead frame material	CDA194	CDA194	CDA194

Impacts to Data Sheet:

None

Change Impact:

None

Reason for Change:

To improve productivity by qualifying MMT as an additional assembly site using palladium coated copper with gold flash (CuPdAu) bond wire.

Change Implementation Status:

In Progress

Estimated Qualification Completion Date:

October 2017

Note: Please be advised the qualification completion times may be extended because of unforeseen business conditions however implementation will not occur until after qualification has completed and a final PCN has been issued. The final PCN will include the qualification report and estimated first ship date. Also note that after the estimated first ship date guided in the final PCN customers may receive pre and post change parts.

Time Table Summary:

	July 2017				-->	October 2017			
	27	28	29	30		40	41	42	43
Workweek									
Initial PCN Issue Date	X								
Qual Report Availability							X		
Final PCN Issue Date							X		

Method to Identify Change:

Traceability code

Qualification Plan:

Please open the attachments included with this PCN labeled as PCN_#_Qual Plan

Revision History:

July 6, 2017: Issued initial notification.

The change described in this PCN does not alter Microchip's current regulatory compliance regarding the material content of the applicable products.

Attachment(s):

[PCN_JAON-30IVHP500_Qual Plan.pdf](#)
[PCN_JAON-30IVHP500_Affected CPN.pdf](#)
[PCN_JAON-30IVHP500_Affected CPN.xlsx](#)

Please contact your local [Microchip sales office](#) with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to change your product/process change notification (PCN) profile please log on to our website at <http://www.microchip.com/PCN> sign into myMICROCHIP to open the myMICROCHIP home page, then select a profile option from the left navigation bar.

To opt out of future offer or information emails (other than product change notification emails), click here to go to [microchipDIRECT](#) and login, then click on the "My account" link, click on "Update profile" and un-check the box that states "Future offers or information about Microchip's products or services."

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
C0001RIC00-I/SS
C0001RIC00T-I/SS
C0003RIC03T-I/SS028
HA0130-I/SS
HA0130T-I/SS
HA1018-I/SS
HA1018T-I/SS
HA1127-I/SS
HA1127T-I/SS
HA1138-I/SS
HA1138T-I/SS
HA1598-E/SS
HA1598T-E/SS
HA1630-I/SO
HA1630T-I/SO
HA1631-I/SO
HA1631T-I/SO
HA1839-I/SS
HA1839T-I/SS
HA1930C-I/SS
HA2003-I/SS
MCV282B-I/SS
MCV283B-I/SS
MCV283BT-I/SS
MTCH6102-I/SS
MTCH6102T-I/SS
MTR5010-I/SS
MTR5010T-I/SS
MTR9833-I/SS
MTR9833T-I/SS
PIC16F1512-E/SS
PIC16F1512-I/SS
PIC16F1512-I/SSC03
PIC16F1512-I/SSC04
PIC16F1512T-I/SS
PIC16F1512T-I/SSC03
PIC16F1512T-I/SSC04
PIC16F1513-E/SS
PIC16F1513-I/SS
PIC16F1513T-E/SS
PIC16F1513T-I/SS
PIC16F1516-E/SS
PIC16F1516-I/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC16F1516-I/SS024
PIC16F1516-I/SSC01
PIC16F1516-I/SSC02
PIC16F1516T-E/SS
PIC16F1516T-I/SS
PIC16F1516T-I/SS021
PIC16F1516T-I/SS022
PIC16F1516T-I/SS024
PIC16F1516T-I/SS025
PIC16F1516T-I/SSC01
PIC16F1516T-I/SSC02
PIC16F1518-E/SS
PIC16F1518-I/SS
PIC16F1518T-I/SS
PIC16F1713-E/SS
PIC16F1713-I/SS
PIC16F1713T-I/SS
PIC16F1716-E/SS
PIC16F1716-I/SS
PIC16F1716T-I/SS
PIC16F1718-E/SS
PIC16F1718-I/SS
PIC16F1718T-I/SS
PIC16F1773-E/SS
PIC16F1773-I/SS
PIC16F1773T-I/SS
PIC16F1776-E/SS
PIC16F1776-I/SS
PIC16F1776T-I/SS
PIC16F1778-E/SS
PIC16F1778-I/SS
PIC16F1778T-I/SS
PIC16F1782-E/SS
PIC16F1782-I/SS
PIC16F1782T-E/SS
PIC16F1782T-I/SS
PIC16F1783-E/SS
PIC16F1783-I/SS
PIC16F1783T-I/SS
PIC16F1786-E/SS
PIC16F1786-I/SS
PIC16F1786T-I/SS
PIC16F1788-E/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC16F1788-I/SS
PIC16F1788-I/SSC01
PIC16F1788T-E/SS
PIC16F1788T-I/SS
PIC16F1788T-I/SS023
PIC16F1788T-I/SSC01
PIC16F1933-E/SS
PIC16F1933-I/SS
PIC16F1933-I/SSC01
PIC16F1933T-E/SS
PIC16F1933T-I/SS
PIC16F1936-E/SS
PIC16F1936-I/SS
PIC16F1936-I/SS029
PIC16F1936-I/SSC01
PIC16F1936-I/SSC03
PIC16F1936T-E/SS
PIC16F1936T-I/SS
PIC16F1936T-I/SSC03
PIC16F1938-E/SS
PIC16F1938-I/SS
PIC16F1938-I/SSC03
PIC16F1938T-E/SS
PIC16F1938T-I/SS
PIC16F1938T-I/SSC03
PIC16F722A-E/SS
PIC16F722A-I/SS
PIC16F722A-I/SS023
PIC16F722AT-E/SS
PIC16F722AT-I/SS
PIC16F722AT-I/SS020
PIC16F722AT-I/SS021
PIC16F722AT-I/SS022
PIC16F722AT-I/SS024
PIC16F722-E/SS
PIC16F722-I/SS
PIC16F722T-E/SS
PIC16F722T-I/SS
PIC16F723A-E/SS
PIC16F723A-I/SS
PIC16F723AT-E/SS
PIC16F723AT-I/SS
PIC16F723-E/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC16F723-I/SS
PIC16F723T-E/SS
PIC16F723T-I/SS
PIC16F726-E/SS
PIC16F726-I/SS
PIC16F726-I/SS035
PIC16F726-I/SS040
PIC16F726-I/SSC06
PIC16F726T-E/SS
PIC16F726T-I/SS
PIC16F726T-I/SS021
PIC16F726T-I/SS022
PIC16F726T-I/SS024
PIC16F726T-I/SS025
PIC16F726T-I/SS026
PIC16F726T-I/SS027
PIC16F726T-I/SS028
PIC16F726T-I/SS029
PIC16F726T-I/SS030
PIC16F726T-I/SS031
PIC16F726T-I/SS032
PIC16F726T-I/SS034
PIC16F726T-I/SS036
PIC16F726T-I/SS037
PIC16F726T-I/SS038
PIC16F726T-I/SS039
PIC16F726T-I/SSC06
PIC16LF1512-E/SS
PIC16LF1512-I/SS
PIC16LF1512T-I/SS
PIC16LF1513-E/SS
PIC16LF1513-I/SS
PIC16LF1513T-I/SS
PIC16LF1516-E/SS
PIC16LF1516-I/SS
PIC16LF1516-I/SSC04
PIC16LF1516T-I/SS
PIC16LF1516T-I/SSC04
PIC16LF1518-E/SS
PIC16LF1518-I/SS
PIC16LF1518T-I/SS
PIC16LF1566-E/SS
PIC16LF1566-I/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC16LF1566T-I/SS
PIC16LF1713-E/SS
PIC16LF1713-I/SS
PIC16LF1713T-I/SS
PIC16LF1716-E/SS
PIC16LF1716-I/SS
PIC16LF1716T-I/SS
PIC16LF1718-E/SS
PIC16LF1718-I/SS
PIC16LF1718T-I/SS
PIC16LF1773-E/SS
PIC16LF1773-I/SS
PIC16LF1773T-I/SS
PIC16LF1776-E/SS
PIC16LF1776-I/SS
PIC16LF1776T-I/SS
PIC16LF1778-E/SS
PIC16LF1778-I/SS
PIC16LF1778T-I/SS
PIC16LF1782-E/SS
PIC16LF1782-I/SS
PIC16LF1782T-I/SS
PIC16LF1783-E/SS
PIC16LF1783-I/SS
PIC16LF1783-I/SSC01
PIC16LF1783-I/SSC02
PIC16LF1783T-I/SS
PIC16LF1783T-I/SSC01
PIC16LF1783T-I/SSC02
PIC16LF1786-E/SS
PIC16LF1786-I/SS
PIC16LF1786T-I/SS
PIC16LF1788-E/SS
PIC16LF1788-I/SS
PIC16LF1788T-I/SS
PIC16LF1902-E/SS
PIC16LF1902-I/SS
PIC16LF1902T-I/SS
PIC16LF1903-E/SS
PIC16LF1903-I/SS
PIC16LF1903T-I/SS
PIC16LF1906-E/SS
PIC16LF1906-I/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC16LF1906T-I/SS
PIC16LF1933-E/SS
PIC16LF1933-I/SS
PIC16LF1933T-E/SS
PIC16LF1933T-I/SS
PIC16LF1936-E/SS
PIC16LF1936-I/SS
PIC16LF1936T-I/SS
PIC16LF1938-E/SS
PIC16LF1938-I/SS
PIC16LF1938T-I/SS
PIC16LF1938T-I/SS020
PIC16LF1938T-I/SS022
PIC16LF1938T-I/SS024
PIC16LF722A-E/SS
PIC16LF722A-I/SS
PIC16LF722AT-I/SS
PIC16LF722-E/SS
PIC16LF722-I/SS
PIC16LF722T-I/SS
PIC16LF723A-E/SS
PIC16LF723A-I/SS
PIC16LF723A-I/SS021
PIC16LF723A-I/SSC01
PIC16LF723A-I/SSC02
PIC16LF723AT-I/SS
PIC16LF723AT-I/SS020
PIC16LF723AT-I/SS021
PIC16LF723AT-I/SS023
PIC16LF723AT-I/SS024
PIC16LF723AT-I/SS025
PIC16LF723AT-I/SS026
PIC16LF723AT-I/SS027
PIC16LF723AT-I/SSC02
PIC16LF723-E/SS
PIC16LF723-I/SS
PIC16LF723T-I/SS
PIC16LF726-E/SS
PIC16LF726-I/SS
PIC16LF726-I/SSC02
PIC16LF726T-I/SS
PIC16LF726T-I/SS020
PIC16LF726T-I/SS021

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC16LF726T-I/SS022
PIC16LF726T-I/SS023
PIC18F23K20-E/SS
PIC18F23K20-I/SS
PIC18F23K20T-E/SS
PIC18F23K20T-E/SSC04
PIC18F23K20T-I/SS
PIC18F23K22-E/SS
PIC18F23K22-I/SS
PIC18F23K22T-E/SS
PIC18F23K22T-I/SS
PIC18F24K20-E/SS
PIC18F24K20-I/SS
PIC18F24K20-I/SSC03
PIC18F24K20T-E/SS
PIC18F24K20T-I/SS
PIC18F24K20T-I/SS031
PIC18F24K20T-I/SSC01
PIC18F24K20T-I/SSC03
PIC18F24K20T-I/SSC04
PIC18F24K20T-I/SSHP2
PIC18F24K22-E/SS
PIC18F24K22-I/SS
PIC18F24K22T-I/SS
PIC18F24K50-E/SS
PIC18F24K50-I/SS
PIC18F24K50T-I/SS
PIC18F25K20-E/SS
PIC18F25K20-E/SSC13
PIC18F25K20-E/SSC14
PIC18F25K20-I/SS
PIC18F25K20-I/SSC01
PIC18F25K20-I/SSC09
PIC18F25K20-I/SSC15
PIC18F25K20-I/SSLPR
PIC18F25K20T-E/SS
PIC18F25K20T-E/SSC04
PIC18F25K20T-E/SSC13
PIC18F25K20T-E/SSC14
PIC18F25K20T-I/SS
PIC18F25K20T-I/SS028
PIC18F25K20T-I/SSC01
PIC18F25K20T-I/SSC09

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC18F25K20T-I/SSC15
PIC18F25K20T-I/SSC17
PIC18F25K22-E/SS
PIC18F25K22-I/SS
PIC18F25K22T-E/SS
PIC18F25K22T-I/SS
PIC18F25K50-E/SS
PIC18F25K50-I/SS
PIC18F25K50T-I/SS
PIC18F25K80-E/SS
PIC18F25K80-H/SS
PIC18F25K80-I/SS
PIC18F25K80T-E/SS
PIC18F25K80T-I/SS
PIC18F26K20-E/SS
PIC18F26K20-E/SSC04
PIC18F26K20-E/SSC05
PIC18F26K20-I/SS
PIC18F26K20-I/SSLPR
PIC18F26K20T-E/SS
PIC18F26K20T-E/SSC04
PIC18F26K20T-E/SSC05
PIC18F26K20T-I/SS
PIC18F26K20T-I/SS027
PIC18F26K20T-I/SS031
PIC18F26K20T-I/SS038
PIC18F26K20T-I/SS039
PIC18F26K20T-I/SS041
PIC18F26K20T-I/SS044
PIC18F26K20T-I/SSLPR
PIC18F26K22-E/SS
PIC18F26K22-I/SS
PIC18F26K22T-E/SS
PIC18F26K22T-I/SS
PIC18F26K22T-I/SS023
PIC18F26K80-E/SS
PIC18F26K80-H/SS
PIC18F26K80-I/SS
PIC18F26K80T-E/SS
PIC18F26K80T-H/SS
PIC18F26K80T-I/SS
PIC18LF23K22-E/SS
PIC18LF23K22-I/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC18LF23K22T-I/SS
PIC18LF24K22-E/SS
PIC18LF24K22-I/SS
PIC18LF24K22T-I/SS
PIC18LF24K50-E/SS
PIC18LF24K50-I/SS
PIC18LF24K50T-I/SS
PIC18LF25K22-E/SS
PIC18LF25K22-I/SS
PIC18LF25K22-I/SSC02
PIC18LF25K22T-E/SS
PIC18LF25K22T-I/SS
PIC18LF25K22T-I/SSC02
PIC18LF25K50-E/SS
PIC18LF25K50-I/SS
PIC18LF25K50T-I/SS
PIC18LF25K80-I/SS
PIC18LF25K80T-I/SS
PIC18LF26K22-E/SS
PIC18LF26K22-I/SS
PIC18LF26K22-I/SSC03
PIC18LF26K22T-E/SS
PIC18LF26K22T-I/SS
PIC18LF26K22T-I/SS021
PIC18LF26K22T-I/SS022
PIC18LF26K22T-I/SSC03
PIC18LF26K80-I/SS
PIC18LF26K80T-I/SS
PIC24F08KA102-E/SS
PIC24F08KA102-I/SS
PIC24F08KA102T-E/SS
PIC24F08KL302-E/SS
PIC24F08KL302-I/SS
PIC24F08KL302T-I/SS
PIC24F08KL402-E/SS
PIC24F08KL402-I/SS
PIC24F08KL402T-I/SS
PIC24F08KM202-I/SS
PIC24F16KA102-E/SS
PIC24F16KA102-I/SS
PIC24F16KA102T-I/SS
PIC24F16KA302-E/SS
PIC24F16KA302-I/SS

JAON-30IVHP500 - CCB 3001 Initial Notice: Qualification of MMT as an additional assembly site using CuPdAu bond wire in selected products of the 200K wafer technology available in 28L SSOP package.

Affected Catalog Part Numbers (CPN)

PCN_JAON-30IVHP500
CATALOG_PART_NBR
PIC24F16KA302T-I/SS
PIC24F16KL402-E/SS
PIC24F16KL402-I/SS
PIC24F16KL402T-I/SS
PIC24F16KM102-I/SS
PIC24F16KM202-I/SS
PIC24F32KA302-E/SS
PIC24F32KA302-I/SS
PIC24F32KA302T-I/SS
PIC24FV08KM202-I/SS
PIC24FV16KA302-E/SS
PIC24FV16KA302-I/SS
PIC24FV16KA302T-E/SS
PIC24FV16KA302T-I/SS
PIC24FV16KM102-I/SS
PIC24FV16KM202-E/SS
PIC24FV16KM202-I/SS
PIC24FV16KM202T-E/SS
PIC24FV16KM202T-I/SS
PIC24FV32KA302-E/SS
PIC24FV32KA302-I/SS
PIC24FV32KA302T-E/SS
PIC24FV32KA302T-I/SS